

Standard Work Day and Reporting Resolution for Elected and Appointed Officials

RS 2417-A

☐ Main entrance secretary or clerk's office at ☐ Official sign board at I Employer's website at Resolution began on April 12, Affidavit of Posting: I, IN WITNESS WHEREOF, I have hereunto set my hand and the seal of the do hereby certify that I have compared the foregoing with the original resolution passed by such board at a legally convened meeting held on the SEE INSTRUCTIONS FOR COMPLETING FORM ON REVERSE SIDE BE IT RESOLVED, that the will report the officials to the New York State and Local Retirement System based on their record of activities: **Elected Officials** Appointed Officials Highway Superintendent Town Supervisor Town Clerk April (Name of secretary or clerk) Cheryl Shackelton , 20<u>18</u> 20_18_ on file as part of the minutes of such meeting, and that same is a true copy thereof and the whole of such original Min. 6 hrs Max. 8 hrs Standard Work Day (Hrs/day) 6 6 0 (Date) 2018 and continued for at least 30 days. That the Resolution was available to the public on the (Name of secretary or clerk) secretary/clerk of the governing board of the (Circle one) Cheryl Shackelton (Name of Employer) (First and Last) Town of Oneonta (Signature of the secretary or derk) Cheryl Shackelton James Hurtubise Robert Wood Name (Last 4 digits) Social Security Number 6501 7513 7636 being duly sworn, deposes and says that the posting of the (Location Code) 30398 Registration Number 50272301 42719336 31797889 hereby establishes the following standard work days for these titles and if member is in Tier 1) Tier 1 (Check (Name of Employer) only Town of Oneonta (Name of Employer) Town of Oneonta 01/01/2018-12/31/2019 01/01/2018-12/31/2019 01/01/2018-12/31/2019 Current Term Begin & End Dates (mm/dd/yy-mm/dd/yy) Record of Activities Result* 34.83 24.33 24.99 of the State of New York, on this 11 th day 11th (seal) their Record of **Not Submitted** if official did not submit (Check only Activities) (Rev. 8/15)

Page

₽,

(for additional rows, attach a RS2417-B form).